



## ASR™ LANYARD

OPERATOR'S MANUAL



## **This manual must be carefully read by all persons who have or will have the responsibility for using or maintaining this product.**

Any warranties made by Crye Precision LLC with respect to this product are voided if the product is not used and maintained in accordance with the instructions in this manual. For any questions relative to the use or repair of this product, please write Crye Precision LLC or call **1-718-246-3838** during regular business hours.

### **WARNING**

**The following are safety warnings intended to call attention to fundamental performance limitations and areas of the product where proper usage must be followed. Failure to use and maintain the product according to the warnings contained herein may result in the product failing to perform as designed, and/or the persons relying on this product sustaining serious personal injury and/or death.**

- |   |  |
|---|--|
| <ul style="list-style-type: none"><li>• Refer to the product label and manual for load rating and use guidelines.</li><li>• The safety belt worn in conjunction with the lanyard is intended <u>only</u> to prevent the user from reaching a position where a fall can occur.</li><li>• The Crye Precision LRB <u>must</u> be worn in conjunction with the Crye Precision LRB Leg Loops for mountaineering, rappelling, and fall arrest.</li><li>• The Crye Precision LRB Leg Loops <u>must</u> be worn in conjunction with the Crye Precision LRB.</li><li>• Avoid repeated exposure of fall-protection devices to salt water, solvents, or chemicals. See care instructions.</li><li>• Fall-protection devices that show no signs of damage must be replaced 5 years from date of purchase.</li><li>• This fall-protection device is not flame resistant.</li></ul> | <ul style="list-style-type: none"><li>• Perform periodic inspections of the hardware, webbing, and stitching of the fall-protection device. Discontinue use of damaged fall-protection devices immediately.</li><li>• DO NOT machine wash or dry clean the product. Exposure to detergents, bleach, or solvents may result in degradation and reduce the effectiveness of the product.</li><li>• Inspect the product for discoloration, cuts, tears, abrasions or cracks before and after each use.</li><li>• DO NOT alter the product in any way.</li><li>• DO NOT expose the product to open flame or excessive heat.</li><li>• All replacement parts must be acquired from Crye Precision LLC or a licensed distributor.</li><li>• The most current version of this manual may be found at <a href="http://www.cryeprecision.com">www.cryeprecision.com</a>.</li><li>• DO NOT use this product except in its intended manner.</li></ul> |
|---|--|



## CONTENTS

### EQUIPMENT INFORMATION

INTRODUCTION.....	1
INCLUDED COMPONENTS.....	2

### CONFIGURING THE ASR™ LANYARD

PROPER ATTACHMENTS.....	5
ASR™ ADJUSTMENT .....	6
RELEASING FROM LRB™.....	7
STOWING SAFETY RELEASE PULL.....	8

CARE INSTRUCTIONS.....	11
------------------------	----

## INTRODUCTION

The Crye Precision **ASR™ (ADJUSTABLE SAFETY RESTRAINT)** Lanyard is designed to be used in conjunction with the **LRB™** as a travel restraint during helicopter operations. The **ASR™ LANYARD** is designed to be quickly and easily adjusted from 18" to 30".

## FEATURES

There are numerous features incorporated into both the **LRB™** and **ASR™ LANYARD** that are based on user needs and feedback from various SOF groups. The main features are:

- Officially approved for use by USSOCOM
- Carabiner with single-hand operation
- Emergency release from belt under tension
- Length adjustable from 18-30 inches
- Adjuster hardware will not slip under load
- Quickly and easily adjusted while being worn
- Sleeve covers critical stitching for durability
- Meets or exceeds USSOCOM safety lanyard specifications
- Made in the US from US materials

## INCLUDED COMPONENTS



ASR LANYARD



## CONFIGURING THE ASR™ LANYARD

## PROPER ATTACHMENTS

To attach to **LRB™**, perform the following:




Ensure the quick release hardware is properly seated and secured to the **LRB™** attachment point.

To attach to **LRB™ FLOATING LOOP**, perform the following:



Ensure the quick release hardware is properly seated and secured to the **LRB™ FLOATING LOOP** attachment point.

## ASR™ LANYARD ADJUSTMENT



To shorten the **ASR™ LANYARD**, pull the free running end away from the body—excess webbing can be stowed under the elastic retainers.



To elongate the **ASR™ LANYARD**, use thumb to pull back on the adjustment buckle and pull carabiner away from the body.

## RELEASE FROM LRB™



Loop finger or thumb under the safety release pull tab.



Grasp the safety release pull tab and pull it out from the stowage retainer. Pull safety release pull tab away from the hardware attachment point to release the snap shackle from the **LRB™**.

## STOWING SAFETY RELEASE PULL



Fold the safety release tab so that the VELCRO® holds the fold secure, then insert back into the retainer.



Stow the safety release pull tab into the retainer.



## CARE INSTRUCTIONS

## CARE INSTRUCTIONS

Care instructions must be read prior to each use.

- You can hand wash your **ASR™ LANYARD** with mild soap and warm water. Never use bleach as that can degrade the materials. Allow to air dry away from direct sunlight. Do not store damp.

## DO NOT

- Machine wash or dry clean.
- Apply iron or any heat to the **ASR™ LANYARD**.
- Expose your **ASR™ LANYARD** to open flame or excessive heat.
- Attempt to modify or repair the **ASR™ LANYARD** in any way.









## ABOUT US

Crye Precision designs and manufactures truly innovative equipment for America's fighting forces. We are proud and honored to serve our customers' needs. We spend as much time as we can with users, continuously incorporating their experience and feedback into the gear. We give them our full support and are indebted to them for their service and their sacrifice. We make uncompromising gear for uncompromising individuals. We work hard to provide smart, high-performance, long-wearing gear for people who demand the best. We make all of our gear in America from American materials. Every item is designed to help you perform better.

## WARRANTY

If a defect in materials or workmanship is found in any of our products, we will repair or replace it, free of charge, for the lifetime of the product. This excludes normal wear and tear. Be aware that the customer is responsible for any and all return shipping charges. This applies to the original purchaser and is nontransferable.

## BODY ARMOR

It is against Federal Law for a person convicted of a violent felony to purchase or possess body armor. In addition, various states also have laws restricting the purchase or possession of body armor by persons convicted of certain felonies, other crimes of violence, or drug crimes. By purchasing body armor, you acknowledge and certify that (i) you have no felony convictions, (ii) you have not been convicted of any other crime that would restrict your ability to purchase or possess body armor under any Federal or State law, (iii) you do not intend to use the body armor for any criminal purpose and (iv) you are over 18 years old. Crye Precision reserves the right, in its sole discretion, to refuse to sell body armor to any person. Additionally, the sale of body armor to residents of Connecticut is restricted to in-person sales, unless the sale is made to certain law enforcement or military personnel. We require that all orders of body armor be accompanied by a government issued photo identification.

## CONTACT INFO

Crye Precision LLC  
Brooklyn Navy Yard  
63 Flushing Ave Unit 252  
Building 128B  
Brooklyn, NY 11205

Phone: 1.718.246.3838  
Fax: 1.718.246.3833  
sales@cryeprecision.com  
www.cryeprecision.com

## COPYRIGHT

© 2020 Crye Precision LLC. The 'CP' logo are trademarks of Crye Precision LLC.

**SERVING THOSE  
WHO PROTECT  
FREEDOM™**



CRYE PRECISION.

BLC-092